

Standard



DDR4 SO-DIMM


Transcend's DDR4 SO-DIMM offers exceptional speed and reliability for notebooks, small form-factor industrial computers, POS terminals, medical diagnostic equipment, and mini-ITX systems. Made of the highest-quality brand-name DRAM memory chips and components, these modules are also tested to ensure stability and multi-system compatibility.

Share


Features

- JEDEC standard 1.2V $\pm$ 0.06V power supply

- 8 bit pre-fetch
- Burst Length: 4, 8
- 16 Banks (4 Bank Groups)
- Support DBI mode
- Support Command/Address parity detection
- Support Data Cyclic Redundancy Check (CRC) for improved data reliability
- Bi-directional differential data-strobe
- On-die termination with ODT pin
- Serial presence detect with EEPROM
- 100% tested for stability, compatibility and performance



Specifications



Module Type

DDR4 Unbuffered SO-DIMM

Frequency

1066/1200MHz for 2133/2400Mb/s/Pin

Number of Rank(s)	1 rank / 2 ranks
Number of Pin(s)	260 pin
Capacity	4GB / 8GB / 16GB
DRAM Configuration	512Mx8 / 1024Mx8
Timing Description	15-15-15 / 17-17-17
Voltage	1.2V
PCB Height	1.18 inches
Operating Temperature	0 ~ 85 °C
Warranty	Limited Lifetime Warranty* *Please access here for more information about Transcend Warranty Policy.

[Close more](#)

Due to the complexity and variety of industrial applications, Transcend cannot guarantee 100% compatibility with all platforms and under all scenarios.

For special applications and environments, it is strongly suggested to contact Transcend beforehand for clarification.